93

 G^{aven} N (1971a) Structural factors controlling stacking sequences in dioctahedral micas. Clays Clay G^{aven} Generals 19:159-165 Minerals 19:159-165

Given N (1971b) The crystal structures of 2*M*₁ phengite and 2*M*₁ muscovite. Z Kristallogr 134:196-212 Given N, Burnham CW (1967) The crystal structure of 37 muscovite. Z Kristallogr 125:163-183 Given N, Burnham CW (1967) The crystal structure of 37 muscovite. Z Kristallogr 125:163-183

1 Metamor Geol 12:49-68

Harlow GE (1995) Crystal chemistry of barian enrichment in micas from metasomatized inclusions in setpentinite, Motagua Fault Zone, Guatemala. Eur J Mineral 7:775-789

Hawthorne FC, Teertstra DK, _ern_ P (1999) Crystal-structure refinement of a rubidian cesian phlogopite. Am Mineral 84:778-781

Hazen RM (1977) Temperature, pressure, and composition: Structurally analogous variables. Phys Chem Minerals 1:83-94

Hazen RM, Burnham CW (1973) The crystal structures of one-layer phlogopite and annite. Am Mineral 58:889-900

Hazen RM, Finger LW (1978) The crystal structures and compressibilities of layer minerals at high pressure. II. Phlogopite and chlorite. Am Mineral 63:293-296

Hazen RM, Finger LW, Velde D (1981) Crystal structure of a silica- and alkali-rich trioctahedral mica. Am Mineral 66:586-591

Hazen RM, Wones DR (1972) The effect of cation substitution on the physical properties of trioctahedral micas. Am Mineral 57:103-129

Heller-Kallai L, Rozenson I (1980) Dehydroxylation of dioctahedral phyllosilicates. Clays Clay Minerals 28:355-368

Higashi S (1982) Tobelite, a new ammonium dioctahedral mica. Mineral J 11:138-146

Hirschmann M, Evans BV, Yang H (1994) Composition and temperature dependence of Fe-Mg ordering in cummingtonite-grunerite as determined by X-ray diffraction. Am Mineral 79:862-877

Hoppe R (1979) Effective coordination numbers (ECON) and mean fictive ionic radii (MEFIR). Z Kristallogr 150:23-52

Hower J, Mowatt TC (1966) The mineralogy of illites and mixed illite-montmorillonite. Am Mineral 51:825-854

Icenhower J P, London D (1995) An experimental study of element partitioning among biotite, muscovite and coexisting peraluminous silicic melt at 200 Mpa (H2O). Am Mineral 80:1229-1251

Icenhower JP, London D (1997) Partitioning of fluorine and chlorine between biotite and granitic melt: Experimental calibration at 200 MPa H₂O. Contrib Mineral Petrol 127:17-29

Joswig W (1972) Neutronenbeugungsmessungen an einem 1M-phlogopit. N Jahrb Mineral Monatsh 1-11

Joswig W, Amthauer G, Takéuchi Y (1986) Neutron diffraction and Mössbauer spectroscopic study of clintonite (xanthophyllite). Am Mineral 71:1194-1197

Joswig W, Takéuchi Y, Fuess H (1983) Neutron-diffraction study on the orientation of hydroxyl groups in margarite. Z Kristallogr 165:295-303

Juster TC, Brown PE, Bailey SW (1987) NH₄-bearing illite in very low grade metamorphic rocks associated with coal, northeastern Pennsylvania. Am Mineral 72:555-565

- Kalinichenko EA, Lithovchenko AS, Kalinichenko AM, Bagmut NN, Dekhtyaruk NT (1997) The study of the kinetics and the mechanism of dehydroxylation in muscovite by ESR on Fe³⁺. Phys Chem Minerals 24:520-527
- Kassner D, Baur WH, Joswig W, Eichhorn K, Wendschuh-Jostier M, Kupcik V (1993) A test of the importance of weak reflections in resolving a space-group ambiguity involving the presence or absence of an inversion centre. Acta Crystallogr B49:646-654

Kato T, Enami M, Zhai M (1997) Ultra-high-pressure (UHP) marble and eclogite in the Su-Lu UHP terrane, eastern China. J Metamor Geol 15:169-182

Kato T, Miúra Y, Yoshii M, Maeda K (1979) The crystal structure of 1M-kinoshitalite, a new barium brittle mica and 1M-manganese trioctahedral micas. Mineral J 9:392-408

Keppler H (1990) Ion exchange reactions between dehydroxylated micas and salt melts and the crystal chemistry of the interlayer cations in micas. Am Mineral 75:529-538

Keusen HR, Peters T (1980) Preiswerkite, an Al-rich trioctahedral sodium mica from the Geisspfad ultramafic complex (Penninic Alps). Am Mineral 65:1134-1137

Knurr RA, Bailey SW (1986) Refinement of Mn-substituted muscovite and phlogopite. Clays Clay Minerals 34:7-16

Lee H-L, Guggenheim S (1981) Single crystal refinement of pyrophyllite-1Tc. Am Mineral 66:350-357

Li G, Peacor DR, Coombs DS, Kawachi Y (1997) Solid solution in the celadonite family: The new minerals ferroceladonite K₂Fe²⁺₂ Fc³⁺₂ Si₈O₂₀(OH)₄ and ferroaluminoceladonite K₂Fe²⁺₂ Al₂ Si₈O₂₀(OH)₄. Am Mineral 82:503-511

Brigatti & Guggenheim

Liang J-J, Hawthorne FC, Novák M, Černý P, Ottolini L (1995) Crystal-structure refinement of boromuscovite polytypes using a coupled Rietvelt-static-structure energy-minimization method. Can Mineral 33:859-865

Lin C-Y, Bailey SW (1984) The crystal structure of paragonite- $2M_1$. Am Mineral 69:122-127

Lin J-C, Guggenheim S (1983) The crystal structure of a Li, Be-rich brittle mica: a dioctahedraltrioctahedral intermediate. Am Mineral 68:130-142

Lindgreen H, Drits VA, Sakharov BA, Salyn AL, Dainyak LG (2000) Illite-smectite structural changes during metamorphism in black Cambrian Alum shales from the Baltic area. Am Mineral 85:1223-1238

Lindgreen H, Jacobsen HJ (1991) Diagenetic structural transformations in North Sea Jurassic illite/smectite. Clays Clay Minerals 39:54-69

Liu OF, Zhang PF, Ding SL, Lin XS, Zheng NX (1996) NH₄-illite in Permo-Carboniferous coal-bearing strata, North China. Chin Sci Bull 41:1458-1461

Loewenstein W (1954) The distribution of aluminium in the tetrahedra of silicates and aluminates. Am Mineral 39:92-96

MacKenzie KJD, Brown IWM, Meinhold RH, Bowden ME (1985) Thermal reactions of pyrophyllite studied by high-resolution solid state ²⁷Al and ²⁹Si nuclear magnetic resonance spectroscopy. J Am Ceram Soc 68:266-272

MacKinney JA, Mora CI, Bailey SW (1988) Structure and crystal chemistry of clintonite. Am Mineral 73:365-375

Mathieson AMcL, Walker GF (1954) Crystal structure of magnesium vermiculite. Am Mineral 39:231-255

Mazzucato E, Artioli G, Gualtieri A (1999) High temperature dehydroxylation of muscovite- $2M_1$: a kinetic study by *in situ* XRPD. Phys Chem Minerals 26:375-381

McCarty DK, Reynolds RC Jr (1995) Rotationally disordered illite/smectite in Paleozoic K-bentonites. Clays Clay Minerals 43:271-284

McCauley JW, Newnham RE (1971) Origin and prediction of ditrigonal distortions in micas. Am Mineral 56:1626-1638

McCauley JW, Newnham RE (1973) Structure refinement of a barium mica. Z Kristallogr 137:360-307

McCauley JW, Newnham RE, Gibbs GV (1973) Crystal structure analysis of synthetic fluorophlogopite. Am Mineral 58:249-254

Medici L (1996) Cristallochimica delle miche di Tapira (Brasile). PhD dissertation, Modena University, 140 p (in Italian)

Mellini M, Weiss Z, Rieder M, Drábek M (1996) Cs-ferriannite as a possible host for waste cesium: Crystal structure and synthesis. Eur J Mineral 8:1265-1271

Méring J, Glaeser R (1954) Sur le rôle de la valence de cations éxchangeables dans la montmorillonite. Bull Minéral 77:519-522

Méring J, Oberlin A (1971) The smectites. In The Electron-Optical Investigation of Clays. JA Gard (ed) Mineralogical Society Monogr 3, London

Meyer J (1983) The development of the high-pressure metamorphism in the Allalin metagabbro (Switzerland). High pressure metamorphism: Indicator of subduction of crustal thickening (abstr). Terra Cognita 3:187

Mizota T, Kato T, Harada K (1986) The crystal structure of masutomilite, Mn-analogue of zinnwaldite. Mineral J 13:13-21

Monier G, Robert J-L (1986) Titanium in muscovites from two mica granites: substitutional mechanisms and partition with coexisting biotite. N Jahrb Mineral Abh 153:147-161

Morandi N, Nannetti MC, Pirani R, Resmi U (1984) La mica verde delle rocce di contatto nell'area Predazzo-Monzoni. Rend Soc It Mineral Petrol 39:677-693

Muller F, Drits VA, Plançon A. Besson G (2000b) Dehydration of Fe³⁺, Mg-rich dioctahedral micas. (I): Structural transformation. Clay Mineral 35:491-504

Muller F, Drits VA, Plançon A, Robert J-L (2000a) Structural transformations of 2:1 dioctahedral layer silicates during dehydroxylation-rehydroxylation reactions. Clays Clay Minerals 48:572-585

Muller F, Drits VA, Tsipursky SI, Plançon A (2000c) Dehydration of Fe³⁺, Mg-rich dioctahedral micas. (II): cation migration. Clay Mineral 35:505-514

Neal CR, Taylor LA (1989) The petrography and composition of phlogopite micas from the Blue Ball kimberlite, Arkansas: A record of chemical evolution during crystallyzation. Mineral Petrol 40: 207-224

Newnham RE, Brindley GW (1956) The crystal structure of dickite. Acta Crystallogr 9:759-764

Ni Y, Hughes JM (1996) The crystal structure of nanpingite-2M₂, the Cs end-member of muscovite. Am Mineral 81:105-110

Norrish K (1973) Factors in the weathering of mica to vermiculite. 5th Int'l Clay Conf Proc, Madrid, p 417-432

Novák M, Černý P, Cooper M, Hawthorne FC, Ottolini L, Xu Z, Liang J-J (1999) Boron-bearing $2M_1 + 1M$ boromuscovite from an elbaite pegmatite at Recice, western Moravia. Czech Republic. Eur J Mineral 11:669-678

Oberti R, Ungaretti L, Tlili A, Smith DC, Robert J (1993) The crystal structure of preiswerkite. Am Mineral 78:1290-1298

Ohta T, Takeda H, Takéuchi Y (1982) Mica polytypism: similarities in the crystal structures of coexisting IM and 2M₁ oxybiotite. Am Mineral 67:298-310

Olesch M, Seifert F (1976) Stability and phase relations of trioctahedral calcium brittle micas (clintonite group) J Petrol 17:291-314

Patiño Douce AE, Johnston AD (1991) Phase equilibria and melt productivity in the pelitic system: implication for the origin of peraluminous granitoids and aluminous granulites. Contrib Mineral Petrol 107:202-218

Patiño Douce AE, Johnston AD, Rice JM (1993) Octahedral excess mixing properties in biotite: a working model with applications to geobarometry and geothermometry. Am Mineral 78:113-131

Pavese A, Ferraris G, Pischedda V, Ibberson R (1999) Tetrahedral order in phengite-2M₁ upon heating, from powder neutron diffraction, and thermodynamic consequences. Eur J Mineral 11:309-320

Pavese A, Ferraris G, Pischedda V, Radaelli P (2000) Further study of the cation ordering in phengite-3T by neutron powder diffraction. Mineral Mag 64:11-18

Pavese A, Ferraris G, Prencipe M, Ibberson R (1977) Cation site ordering in phengite-3T from the Dora-Maira massif (western Alps): A variable-temperature neutron powder diffraction study. Eur J Mineral 9:1183-1190

Puziewicz J, Johannes W (1990) Experimental study of a biotite-bearing granitic system under watersaturated and water-undersaturated conditions. Contrib Mineral Petrol 104:397-406

Radoslovich EW (1960) The structure of muscovite, KAl₂(Si₃Al)O₁₀(OH)₂. Acta Crystallogr 13:919-932

Radoslovich EW (1961) Surface symmetry and cell dimensions of layer lattice silicates. Nature 191:67-68

Radoslovich EW, Norrish K (1962) The cell dimensions and symmetry of layer-lattice silicates. I. Some structural considerations. Am Mineral 47:599-616

Rammlmair D, Mogessie A, Purtscheller F, Tessadri R (1988) Högbomite from the Vumba schist belt, Botswana. Am Mineral 73:651-657

Rancourt DG, Dang MZ, Lalonde AE (1992) Mössbauer spectroscopy of tetrahedral Fe³⁺ in trioctahedral micas. Am Mineral 77:34-93

Rayner JH (1974) The crystal structure of phlogopite by neutron diffraction. Mineral Mag 39:850-856

Reynolds RC, Thompson CH (1993) Illite from the Potsdam Sandstone of New York, a probable noncentrosymmetric mica structure. Clays Clay Minerals 41:66-72

Richardson SM, Richardson JW (1982) Crystal structure of a pink muscovite from Archer's Post, Kenya: implications for reverse pleochroism in dioctahedral micas. Am Mineral 67:69-75

Rieder M, Cavazzini G, D'yakonov YS, Frank-Kamenetskii VA, Gottardi G, Guggenheim S, Koval PV, Müller G, Neiva AMR, Radoslovich EW, Robert J-L, Sassi FP, Takeda H, Weiss Z, Wones DR (1998) Nomenclature of the micas. Clays Clay Minerals 46:586-595

Rieder M, Hybler J, Smrčok L, Weiss Z (1996) Refinement of the crystal structure of zinnwaldite 2M₁. Eur J Mineral 8:1241-1248

Robert J-L, Volfinger M, Barrandon J-N, Basutçu M (1983) Lithium in the interlayer space of synthetic trioctahedral micas. Chem Geol 40:337-351

Rothbauer Von R (1971) Untersuchung eines 2M₁-Muskovits mit Neutronenstrahlen. N Jahrb Mineral Monatsh 143-154

Rouxhet PG (1970) Kinetics of dehydroxylation and of OH-OD exchange in marcocrystalline micas. Am Mineral 55:841-853

Rule AC, Bailey SW (1985) Refinement of the crystal structure of phengite-2M, Clays Clay Minerals 33:403-409

Russell RL, Guggenheim S (1999) Crystal structures of hydroxyphlogopite at high temperatures and heattreated biotites: The influence of the O,OH,F site. Can Mineral 37:711-720

Sakharov BA, Lindgreen H, Salyn A, Drits VA (1999) Determination of illite-smectite structures using multispecimen X-ray diffraction profile fitting. Clays Clay Minerals 47:555-566

Sanz J, Robert J-L (1992) Influence of structural factors on ²⁹Si and ²⁷Al NMR chemical shifts of phyllosilicates 2:1. Phys Chem Minerals 19:39-45

Sartori F (1976) The crystal structure of a 1M lepidolite. Tschermaks mineral petrogr Mitt 23:65-75

Sartori F, Franzini M, Merlino S (1973) Crystal structure of a 2M₂ lepidolite. Acta Crystallogr B29:573-578

Schreyer W, Jung I (1997) Boromuscovite, KA1₂ [Bsi₃O₁₀](OH)₂: A high-pressure mineral. Terra Nova (abstr) 1:32

Semenova TF, Rozhdestvenskaya IV, Frank-Kamenetskii VA (1977) Refinement of the crystal structure of tetraferriphlogopite. Sov Phys Crystallogr 22:680-683

CONTRACT.

95

Brigatti & Guggenheim

Sidorenko OV, Zvyagin BB, Soboleva SV (1975) Crystal structure refinement for 1*M* dioctahedral mica Sov Phys Crystallogr 20:332-335

Sidorenko OV, Zvyagin BB, Soboleva SV (1977a) Refinement of the crystal structure of $2M_1$ paragonite by the method of high-voltage electron diffraction. Sov Phys Crystallogr 22:554-556

Sidorenko OV, Zvyagin BB, Soboleva SV (1977b) Crystal structure of 3*T* paragonite. Sov Phys Crystallogr 22:557-559

Slade PG, Radoslovich EW (1985) The structure of ephesite- $2M_1$ in space group Cc. N Jahrb Mineral Monatsh 337-352

Slade PG, Schultz PK, Dean C (1987) Refinement of the ephesite structure in C1 symmetry. N Jahrb Mineral Monatsh 6:275-287

Smith DC, Kechid S-A (1983) Three rare Al- and Na-rich micas in the Liset eclogite pod, Norway: Mg-Femargarite, preiswerkite and Na-eastonite (abstr). Terra Cognita 3:191

Smith JV, Yoder HS Jr (1956) Experimental and theorethical studies of the mica polymorphs. Mineral Mag 31:209-235

Soboleva SV, Sidorenko OV, Zvyagin BB (1077) Crystal structure of paragonite 1*M*. Sov Phys Crystallogr 22:291-294

Sokolova GV, Aleksandrova VA, Drits VA, Bairakov VV (1979) Crystal structures of two lithium-bearing brittle micas. In Kristallokhimaya I Strukturnaya Mineralogiya. Krank-Kamenetskii VA (ed) Nauka, Leningrad, p 55-66

Speer J A (1984) Micas in igneous rocks. Rev Mineral 13:299-356

Środoń J, Elsass F, McHardy WJ, Morgan DJ (1992) Chemistry of illite-smectite inferred from TEM measurements of fundamental particle. Clay Minerals 27:137-158

Steinfink U (1962) Crystal structure of a trioctahedral mica: Phlogopite. Am Mineral 47:886-896

Sterne EJ, Reynolds RC Jr, Zantop H (1982) Natural ammonium illites from black shales hosting a stratiform base metal deposit, DeLong Mountains, Northern Alaska. Clays Clay Minerals 30:161-166

Sterne EJ, Zantop H, Reynolds RC (1984) Clay mineralogy and carbon-nitrogen geochemistry of the Lik and Competition Creek zinc-lead-silver prospects, DeLong Mountains, Alaska Econ Geol 79: 1406-1411

Swanson TH, Bailey SW (1981) Redermination of the lepidolite-2*M*₁ structure, Clays Clay Minerals 29: 81-90

Takeda H, Burnham CW (1969) Fluor-polylithionite: a lithium mica with nearly hexagonal (Si₂O₅)² ring. Mineral J 6:102-109

Takeda H, Donnay JDH (1966) Trioctahedral one-layer Micas. III. Crystal structure of a synthetic lithium fluormica. Acta Crystallogr 20:638-646

Takeda H, Morosin B (1975) Comparison of observed and predicted structural parameters of mica at high temperature. Acta Crystallogr B31:2444-2452

Takeda H, Haga N, Sadanaga R (1971) Structural investigation of a polymorphic transition between $2M_{2^-}$, 1M-lepidolite and $2M_1$ -muscovite. Mineral J 6:203-215

Takeda H, Ross M (1975) Mica polytypism: Dissimilarities in the crystal structures of coexisting 1M and $2M_1$ biotite. Am Mineral 60:1030-1040

Takéuchi Y (1965) Structures of brittle micas. Clays Clay Minerals 13:1-25

Takéuchi Y (1975) The distortion of Si(Al)-tetrahedra in sheet silicates. Contribution Clay Mineralogy, T. Sudo Volume, K Henmi (ed) p 1-6

Tateyama H, Shimoda S, Sudo T (1974) The crystal structure of synthetic Mg^{IV} mica. Z Kristallogr 139:196-206

Tepikin EV, Drits VA, Alexandrova VA (1969) Crystal structure of iron biotite and construction of structural models for trioctahedral micas. Proc 4th Int'l Clay Conf, Tokyo, p 43-49

Tlili A, Smith DC, Bény J-M, Boyer H (1989) A Raman microprobe study of natural micas. Mineral Mag 53:165-179

Toraya H (1981) Distortions of octahedra and octahedral sheets in 1M micas and the relation to their stability. Z Kristallogr 157:173-190

Toraya H, Marumo F (1981) Structure variation with octahedral cation substitution in the system of germanate micas KMg_{3-x}Mn_xGe₃AlO₁₀F₂. Mineral J 10:396-407

Toraya H, Iwai S, Marumo F, Daimon M, Kondo R (1976) The crystal structure of tetrasilicic potassium fluor mica KMg_{2.5}Si₄O₁₀F₂. Z Kristallogr 144:42-52

Toraya H, Iwai S, Marumo F, Hirao M (1977) The crystal structure of taeniolite, KLiMg₂Si₄O₁₀F₂. Z Kristallogr 146:73-83

Toraya H, Iwai S, Marumo F, Hirao M (1978a) The crystal structures of germanate micas KMg_{2.5}Ge₄O₁₀F₂ and KLiMg₂Ge₄O₁₀F₂. Z Kristallogr 148:65-81

Toraya H, Iwai S, Marumo F, Hirao M (1978c) The crystal structure of germanate micas KMg₃Ge₃AlO₁₀F₂. Mineral J 9:221-230

200-0

97

Toraya II, Marumo F, Hirao M (1983) Synthesis and the crystal structure of manganoan fluoromica K(Mg_{2.44} Mn_{0.24})(Si_{3.82}Mn_{0.18})O₁₀F₂. Mineral J 11:240-247

Toraya H, Iwai S, Marumo F, Nishikawa T, Hirao M (1978b) The crystal structure of synthetic mica KMg₂₇₅Si₁₅Al₀₃O₁₀F₂. Mineral J 9:210-220

Tracy RJ (1978) High-grade metamorphic reactions and partial melting in pelitic schist, west-central Massachusetts. Am J Sci 278:150-178

Tsipursky SI, Drits VA (1984) The distribution of octahedral cations in the 2:1 layers of dioctahedral smectites studied by oblique-texture electron diffraction. Clay Minerals 19:177-193

Tsipursky SI, Kameneva MYu, Drits VA (1985) Structural transformations of Fe¹⁺-containing 2:1 dioctahedral phyllosilicates in the course of dehydroxylation. 5th Meet Eur Clay Groups, Prague, p 569-577

Tyrna PL, Guggenheim S (1991) The crystal structure of norrishite, KLiMn₂³⁺ Si₄O₁₂: An oxygen-rich mica. Am Mineral 76:266-271

Udagawa S, Urabe K, Hasu H (1974) The crystal structure of muscovite dehydroxylate. Japan Assoc Mineral Petrol Econ Geol 69:381-389

Visser D, Nijland TG, Lieftink DJ, Maijer C (1999) The occurrence of preiswerkite in a tourmaline-biotitescapolite rock from Blengsvatn, Norway. Am Mineral 84:977-982

Volfinger M, Robert J-L (1979) Le lithium dans une phlogopite de sythèse. Bull Minéral 102:26-32

Volfinger M, Robert J-L (1989) Et minum dans due pinogopite de synteer de synteer elements between silicates and hydrothermal solutions. Geochim Cosmochim Acta 44:1455-1461

Von Damm KL, Edmond JM, Measures CI, Grant B (1985) Chemistry of submarine hydrothermal solutions at Guaymas Basin, Gulf of California. Geochim Cosmochim Acta 49:2221-2237

Wardle R, Brindley GW (1972) The crystal structures of pyrophyllite-1*Tc* and of its dehydroxylate, Am Mineral 57:732-750

Weiss Z, Rieder M, Chmielová M (1992) Deformation of cocordination polyhedra and their sheets in phyllosilicates. Eur J Mineral 4:665-682

Weiss Z, Rieder M, Chmielová M, Krajicek J (1985) Geometry of the octahedral coordination in micas: a review of refined structures. Am Mineral 70:747-757

Weiss Z, Rieder M, Smrčok L, Petríček V, Bailey SW (1993) Refinement of the crystal structures of two "protolithionites." Eur J Mineral 5:493-502

Wilson PN, Parry WT, Nash WP (1992) Characterization of hydrothermal tobelitic veins from black shale, Oquirrh Mountains, Utah. Clays Clay Minerals 40:405-420

Wolf MB, London D (1997) Boron in granitic magmas: stability of tourmaline in equilibrium with biotite and cordierite. Contrib Mineral Petrol 130:12-30

Yang Y, Ni Y, Wang L, Wang W, Zhang Y, Chen C (1988) Nanpingite—A new cesium mineral. Yanshi Kuangwuxue Zashi (China) 7:49-58 (abstr: Am Mineral 75:708-709)

Ylagan RF, Altaner SP, Pozzuoli A (2000) Reaction mechanisms of smectite illitization associated with hydrothermal alteration from Ponza Island, Italy. Clays Clay Minerals 48:610-631

Zhoukhlistov AP, Zvyagin BB, Lazarenko EK, Pavlishin VI (1977) Refinement of the crystal structure of ferrous seladonite. Sov Phys Crystallogr 22:284-288

Zhoukhlistov AP, Zvyagin BB, Soboleva SV, Fedotov AF (1973) The crystal structure of the dioctahedral mica 2M₂ determined by high voltage electron diffraction. Clays Clay Minerals 21:465-470

Zöller M, Brockamp O (1997) 1*M*- and 2*M*₁-illites: different minerals and not polytypes. Eur J Mineral 9:821-827

Zvyagin BB (1957) Determination of the structure of celadonite by electron diffraction. Sov Phys Crystallogr 2:388-394

Zvyagin BB (1967) Electron Diffraction Analysis of Clay Minerals Structures. Plenum Press, New York

Zvyagin BB, Rabotnov VT, Siderenko OV, Kotelnikov DD (1985) Unique mica from noncentrosymmetric layers. Izv Akad Nauk SSSR, Ser Geologicheskaya 35:121-124